L Number	Hits	Search Text	DB	Time stamp
1	18817889	@ad<20000225	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 11:34
2	170	713/183.ccls. and @ad<20000225	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 08:47
3	0	"passwords-plus"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 08:42
4	29	password adj plus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 08:42
5	44	(713/183.ccls. and @ad<20000225) and password near2 (bank list database group store)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:16
6	26	(713/183.ccls. and @ad<20000225) and password with one with time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 08:56
7	28	scratch with password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:00
9	2	@ad<20000225 and expendable near2 password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:03
8	2	@ad<20000225 and expendable with password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:03
10	21	@ad<20000225 and (expendable disposable) with password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:11
11	15499231	@ad<19970827	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:15
12	10	@ad<19970827 and (expendable disposable) with password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:19
14	937	@ad<19970827 and password near2 (set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:24
16	351	@ad<19970827 and password adj (set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:22

15	23	(713/183.ccls. and @ad<20000225) and password near2 (set) and @ad<19970827	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:22
17	114	@ad<19970827 and password near2 (set) same (choose pick$2 select$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:59
18	60	@ad<19970827 and automatic$4 with select$4 with password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 10:02
19	19	@ad<19970827 and automatic$4 with select$4 near2 password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 10:09
20	41	(@ad<19970827 and automatic$4 with select$4 with password) not (@ad<19970827 and automatic$4 with select$4 .near2 password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 10:16
21	7	@ad<19970827 and single with connection with password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 10:20
23	1	6112078.pn.	USPAT; US-PGPUB; IBM_TDB	2004/06/04 10:20
24	11	6112078.URPN.	USPAT	2004/06/04 10:21
25	10	("5175758" | "5263178" | "5315634" | "5353328" | "5490235" | "5557639" | "5604921" | "5608778" | "5668876" | "5794142").PN.	USPAT	2004/06/04 10:21
26	3	(6112078.URPN. (("5175758" | "5263178" | "5315634" | "5353328" | "5490235" | "5557639" | "5604921" | "5608778" | "5668876" | "5794142").PN.)) and @ad<19970827 and password	USPAT	2004/06/04 10:36
22	1	@ad<19970827 and single near2 connection near2 password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 10:39
28	26	@ad<19970827 and (login log-in "log in" logon log-on) with password near2 (single one disposable expendable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 10:43
34	0	single.ti. and sign.ti. and on.ti.	USPAT; US-PGPUB; IBM_TDB	2004/06/04 11:33
35	7	single with sign with on	USPAT; US-PGPUB; IBM_TDB	2004/06/04 11:34
36	468	single with sign-on	USPAT; US-PGPUB; IBM_TDB	2004/06/04 11:34
38	25	single with sign-on.ti.	USPAT; US-PGPUB; IBM_TDB	2004/06/04 11:42
37	15	single with sign-on and @ad<19970827	USPAT; US-PGPUB; IBM_TDB	2004/06/04 11:36
39	1	@ad<19970827 and master near2 password same encrypt$2 near2 passwords!	USPAT; US-PGPUB; IBM_TDB	2004/06/04 11:43

-	483	@ad<20000225 and 713/202.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 08:40
-	0	(@ad<20000225 and 713/202.ccls.) and expendable with password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 13:05
-	61	(@ad<20000225 and 713/202.ccls.) and one with time with password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 13:05
-	3	@ad<19970827 and (temporary expendable) with password with list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 13:30
-	17	@ad<19970827 and password with list with (terminal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 13:35
-	765	713/202.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 13:40
-	251	713/202.ccls. and @ad<19970827	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/04 09:11
-	33	(713/202.ccls. and @ad<19970827) and password with list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 12:21
-	439	@ad<19970827 and password with list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:38
-	1	"5721779".PN.	USPAT	2003/11/18 14:34
-	1	"5606663".PN.	USPAT	2003/11/18 14:34
-	1	"5606315".PN.	USPAT	2003/11/18 14:34
-	1	"5581700".PN.	USPAT	2003/11/18 14:36
-	1	"5563947".PN.	USPAT	2003/11/18 14:36
-	1	"5555309".PN.	USPAT	2003/11/18 14:36
-	8	@ad<19970827 and gsm and password with list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 14:37
-	8	(@ad<19970827 and password with list) and gsm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:02
-	87	sormunen.inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:02
-	5	(kurki.inv. sormunen.inv.) and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:03
-	1	"5794142".PN.	USPAT	2003/11/18 15:04

-	1	"5668876".PN.	USPAT	2003/11/18 15:05
-	1	"5608778".PN.	USPAT	2003/11/18 15:05
-	1	"5557639".PN.	USPAT	2003/11/18 15:05
-	1	"5490235".PN.	USPAT	2003/11/18 15:05
-	1	"5353328".PN.	USPAT	2003/11/18 15:06
-	1	"5315634".PN.	USPAT	2003/11/18 15:06
-	150	@ad<19970827 and password with list same (single one once)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:41
-	83	@ad<19970827 and password with list same (single one once) and automatically	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:42
-	83	(@ad<19970827 and password with list same (single one once)) and automatically	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:50
-	15484157	@ad<19970827	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 10:40
-	535	@ad<19970827 and password with (telephone adj number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 10:42
-	13	@ad<19970827 and password with (telephone adj number) with (add$3 append combine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 11:05
-	2	5373559.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 11:02
-	22	@ad<19970827 and password with (telephone adj number) with (list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 12:13
-	0	gsm same telephone adj number same password same append	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 12:22
-	9	gsm same telephone adj number same password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 12:25
-	34	append same telephone adj number same (password code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 12:57
-	1	"5870677".PN.	USPAT	2003/11/19 12:52
-	1	"5692032".PN.	USPAT	2003/11/19 12:55
-	49	append same (telephone phone) adj number same (password code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 12:58

-	15	(append same (telephone phone) adj number same (password code)) not (append same telephone adj number same (password code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 14:15
-	2	append same (telephone phone) adj number same (PIN)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 14:20
-	0	append same (telephone phone) adj number same ((cardholder (card adj holder)) adj verification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 14:21
-	65	((cardholder (card adj holder)) adj verification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 14:21
-	6	((cardholder (card adj holder)) adj verification) and gsm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 14:27
-	2086	(PIN) and gsm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 14:28
-	1276	(PIN and telephone) and gsm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 14:28
-	229	(PIN with telephone) and gsm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 14:29
-	59	(PIN with telephone) and gsm and @ad<19970827	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 15:31
-	15484157	@ad<19970827	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 15:31
-	0	service adj directory same password same list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 15:32
-	7	service adj directory same password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 15:32
-	3	(service adj directory same password) and @ad<19970827	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 15:33
-	191	master adj password with passwords	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 15:33

-	74	master adj password! with passwords and @ad<19970827	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 15:35
-	74	master adj password with passwords and @ad<19970827	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 15:35
27	2	@ad<19970827 and (login log-in "log in" logon log-on) with password near2 (single adj use one adj time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/04 10:42